



Semi-scissor platform lift

Quality made
in Germany

HDS25 Single

article no.: HDS25xxxxxF02

The HDS25 heavy duty semi-scissor lift with a capacity of 25 t is available with different platform lengths from 6.5 m up to 14.5 m. This platform lift is suitable for a multitude of commercial vehicles and has been approved in many different applications so far. The recessed version of the lowered lift is level with the floor and can be crossed over with vehicles. The floor version does not require any constructional measures and can be quickly installed anywhere. In all cases, you remain flexible and make optimum use of your workshop surface.



Semi-scissor platform lift HDS25 Single



GARAGE EQUIPMENT
since 1922

specifications

article no.		HDS25xxxxxF02
load support	load support	platforms
	capacity	25 t
	quantity of platforms	2
	width of platforms (mm)	750 mm
	height of platforms (mm)	360 mm
	distance between platforms	1100 mm
	platform surface	smooth metal sheet
lifting height	lifting stroke effective	1750 mm
	lifting height / floor version	2140 mm
	lifting height / recessed version	1780 mm
speed	lifting time	90 sec.
drive	mode of drive	electro-hydraulic
	motor	AC voltage
	motor power (kW)	8.8 kW
power supply	type of power supply	mains supply
	electrical connection	400V/3Ph+N+PE/50Hz
	compressed air connection	6 bar
	fuse (Amps)	32 A
operation	mode of operation	1 central control unit
	control	electronic
	Softstart	X
regularisation	synchronisation	proportional valves, infinitely variable
load securing	load securing	hydraulic and mechanical
protection class		IP65
floor load	quality of foundation	C20/25
surface treatment	type of surface treatment	powder coating
	colour	grey RAL7015




Semi-scissor platform lift
HDS25 Single



GARAGE EQUIPMENT
since 1922

accessories



HDSF07-ST02
Electric sockets 230V




HDSF07-DL02
Pneumatic sockets



HDSF07-BL-LED04
4 LED lamps



HDSF07-BL-LED06
6 LED lamps



HDSF07-BL-LED08
8 LED lamps



HDSF07-BL-LED10
10 LED lamps



HDSF07-AS01
anti-skid surface anti-skid class R13




HDSF07-AS02
anti-skid surface anti-skid class R13




HDSF0713-235
2 ascending ramps, 2350 mm



HDSF0713-330
2 ascending ramps, 3300 mm



HDSF0713-180H
2 ascending ramps, hanging, 1800 mm



HDSMHFL160-200-F07
jacking beam 16 t, pneumatic



HDSF07BA-XXXXX
floor levelling for pits of platforms



HDSF07FV-XX
Galvanizing



HDSF07DUROPLEX-XX
Special coating in addition to galvanizing



HDSF07-SK01
2. control box in the washing area

Tecalemit Garage Equipment Co. Ltd.
W: www.tecalemit.co.uk
E: sales@tecalemit.co.uk
T: 01752 219111