

Quadra 6.0t ATL 4 Post Lift Surface Mounted, 3ph



GARAGE EQUIPMENT
since 1922



Part No.: SF/8976/ATL
See overleaf for more information

- Suitable for Class VII ATL/OPTL MOT Testing
- Electro-hydraulic operation
- Suitable for most long wheelbase vehicles
- Descent speed control valve
- Mechanical latching system

Quadra 6.0t ATL 4 Post Lift Surface Mounted, 3ph



GARAGE EQUIPMENT
since 1922

→ About the SF/8976/ATL

The SF/8976/ATL lift is supplied with platform radius turning plates and play detectors. It also benefits from an increased platform length making it ideal for general servicing and repair work on even the longest wheelbase LGV vehicles and motor caravans.

The electro-hydraulic operation ensures low maintenance, low running costs, high durability and outstanding performance. The Quadra 6.0t 4 post ATL lift is an electro-hydraulically operated platform lift.

Designed specifically to provide an intermediate capacity lift and suitable in particular where workshop space is at a premium. With a platform length of 6000mm the lift is suitable both for larger light goods vehicles such as extended wheelbase 'sprinter' type vehicle and also for smaller bodied rigid trucks and tractor units.

The platforms are a generous 650mm in width, providing ample space for twin wheeled vehicles with one adjustable platform. The distance between platforms ranges from 900 - 1200mm. This ensures easy accommodation of a large range of vehicles, including saloon cars if required.

→ Technical specifications & dimensions


Minimum height.....	240mm
Raised height.....	2000mm
Maximum load.....	6000kg
Distance between tracks.....	900-1200mm
Track length (including cross member).....	6000mm
Track width.....	650mm
Distance between column length.....	5720mm
Distance between column width.....	3640mm
Max. vehicle track width.....	2500mm
Overall length of lift assembly.....	7010mm

→ Part Nos. & Ordering Information

Quadra 6.0t Electro/Hydraulic 6.0m platform 3ph, Surface Mounted.....	SF/8976/ATL
Quadra 6.0t Electro/Hydraulic 6.0m platform 3ph, Recessed.....	SF/8976/ATL/REC

→ Options & Accessories

4 tube lighting kit (neutral).....	OA/60113
Drive through kit for surface mounted lifts.....	OA/60579
Drive through kit for recessed installations.....	OA/60580
4.0t manual jacking beam.....	SS/8834
4.0t air operated jacking beam.....	SS/8834/P



Issue No.: SF/8976/ATL Oct 2021

Tecalemit Garage Equipment Co Ltd
Eagle Road, Langage Business Park,
Plymouth, United Kingdom PL7 5JY

Sales: 00 44 (0) 1752 219 111
Service: 00 44 (0) 1752 219 100
Fax: 00 44 (0) 1752 219 128
Email: sales@tecalemmit.co.uk
Web: www.tecalemit.co.uk

All information in this document is correct at time of publication. Tecalemit reserves the right to amend and alter specifications without prior notice. Please confirm any critical requirements with your supplier at time of ordering.

