

# Contents

The leaders of today











Herrmann Inground Lifts page 4 **MOT Packages page 5** F<sub>10</sub> Automatic Tyre Changer **page 6** 

Wheel Alignment page 7

**Great Value Equipment page 8** 

Bodyshop Equipment page 9

**Lubrication Equipment page 10-11** 

Vehicle Lifting Equipment page 12-13

Installation Case Study page 14

CV Workshop Equipment page 14-15





















#### **Tecalemit Garage Equipment** Eagle Road, Langage Business Park,

Plymouth PL7 5JY

Sales: 00 44 (**0**) **1752 219 111** Service: 00 44 (0) 1752 219 100 00 44 (0) 1752 219 128 Fax: Email: sales@tecalemit.co.uk Web: www.tecalemit.co.uk


### **Terms & Conditions**

Offers end 30/04/2024 or as specified. Orders must be placed by 30/04/2024 with delivery and invoice by 31/05/2024 for the promotional price to apply. All offers are subject to availability and change without notice. All prices shown are exclusive of VAT. Savings based on Tecalemit Garage Equipment list price. Products are also available through participating Tecalemit distributors. Pictures used are for illustrative purposes only, and products are not shown at actual size or to scale. Product specifications may be subject to change due to technical and/or safety improvements as required. E & OE. All figures quoted are subject to credit approval. \*All lease payment examples are based on a 60-month repayment period for a business that has been trading for more than 3 years. All lease figures quoted are subject to VAT and status. Full details are available upon written request. >Tecalemit ATL MOT bays are available with a choice of 3 or 5-year Peace of Mind care packages. <Based on a Class 4 3ph 4.3m 3.5t 4-post lift MOT package including emission tester. Selected MOT equipment requires connection to existing site broadband capability. These promotion offers cannot be combined with other Tecalemit offers.



A lifting platform is an essential piece of equipment found in vehicle workshops all over the world. Whether it is for an inspection, servicing, or repair, using a quality lifting platform is crucial for getting the job done right. Herrmann understands this and has taken into account the various demands that modern vehicles require when developing their lifting platforms.

With over 50 years of practical experience, Herrmann is a pioneer in the vehicle lifting technology industry, always striving to improve their products. They continue to face new challenges while keeping in mind the fundamental principles of lifting. Herrmann's lifting platforms are more than just intricate systems; they are designed to support workshops in achieve their goals.







Talk to us today to learn more about the Herrmann range of inground lifts available from TECALEMIT

**CALL TODAY FOR PRICES** 



## **COMPLETE MOT PACKAGES** FROM THE MOT EXPERTS



- Choice of platform lengths from 4.3m 6.5m
- **Choice of lifting capacities from 3.5t 6.0t**
- **Available in ATL, OPTL or MOT specifications**
- **Options with or without emission tester**
- Options to include Classes 1 & 2, 3, and 5L








Flush fit Play Detectors for easy compliance with +/- 6mm DVSA level requirements. Standard on all Tecalemit ATL lift packages.

Cable Protectors prevents chaffing, tangling and snagging, for longevity and reliability. Standard on all Tecalemit ATL 4-Post Lift packages









Tecalemit Scissor Lift options available for both Class 4 & Class 7 testing. Ideal for workshops with width restrictions.

Large 680mm square High Visibility LED brake tester display available as an optional extra on Tecalemit MOT packages.



## CALL TODAY TO ARRANGE YOUR FREE CONSULTATION & DESIGN VISIT



## **GET BETTER KIT WITH TECALEMIT**



#### **AUXILIARY MOUNTING TOOL**

- Double arm bead breaker system
- The strongest Market benchmark
- Inverter technology
- Hump shape pre-set
- Folding structure to save the wheel



#### TYRE LEVERLESS SYSTEM (S-TALON)

- Patented mounting & dismounting tool
- Bead stress minimization
- Intuitive hooking
- No touch
- Double tool for mounting & dismounting operations



#### SIDE LIFT

- Lifting capacity up to 80kg
- Allows operator to work in an ergonomic position without stressing their back
- Improves productivity and safety





Talk to us today to learn more about the range of tyre fitting equipment available from TECALEMIT


#### ERGONOMIC AND ADJUSTABLE CONSOLE

- Easy to adjust to ensure comfort when in use
- Intuitive and sequential control position
- Integrated manometer
- Releasing buttons on side
- Developed and tested to ensure a long life

**CALL TODAY FOR PRICES** 









- Full 4 wheel 8 CCD alignment system
- Quick and easy measurements
- Wireless CCD measuring heads
- Precision measurement of angles
- Haweka Pro-clamp wheel mounting system
- PC controlled with Windows operating system
- Extensive vehicle database
- Colour before / after printout

# ONLY **£8230**







## **JUST ±9760**





## TIROPLUS TYRE BAY PACK

## TTC/TIROPLUS **Tyre Changer**

- Clamping range 10" 26"
- Max Wheel diameter 1070mm
- Max Wheel width 380mm
- Bead breaker force 2800kg
- Assistant system with 3 operating arms
  - TIROROLLER Assists with the removal of the tyre from the rim
  - TIROFOLLOWER Follows the wheel rotation through the fitting cycle
  - TIROLIFTER DISC Assists with the lifting of the lower bead during tyre removal





#### TBM/TIROPLUS **Wheel Balancer**

- Internal data entry & weight positioning arm
- Adhesive weight position guide
- Automatic rotation & positioning via One-touch operation
- 'Hidden Weight' and weight optimisation programs Data memory stores common wheel size combinations

## COMPLETE PACKAGE FOR ONLY £3885

## **GREAT VALUE LIFTING EQUIPMENT**

## FROM ONLY £2765



- SF/9630 3.0t 1.4m Mid-Rise Scissor Lift
- Fully mobile, easily moved around the workshop
- Maximum working height of 1000mm
- Fast lifting time of 35 seconds
- Ideal for fast fits & tyre shops
- Single phase power supply\*
- Low profile access of 110mm with a 3.0t lifting capacity
- \* Please note that to operate the safety locks on this machine, an external air supply is required.

- SF/9492/1 4.0t Hydraulic 2-Post Lift
- Low lift pad height of just 98mm
- 'Soft-Start' Bosch Rexroth compact power module
- 3 stage symmetrical arms for lifting a wide range of vehicles
- Optional high lift pad extensions for lifting vehicles with higher ground clearance available





Junair is the UK's leading manufacturer of spray booths and paint finishing systems. From automotive accident repair spray booths to fully automated mass production paint finishing lines, if it can be done, they have probably already done it!

With over 30 years of experience in the spray booth industry, Junair can help you tackle your operational challenges. With their consultative approach, they will aim to provide the best solution for your needs in terms of efficiency and cost.



## **JUNAIR - NEVER COMPROMISING ON QUALITY**



A LEVAC floor is a surface mounted design requiring no building excavation. Height from the building floor to the spray booth floor is only 180mm and only a small unobtrusive ramp is required to access the cabin, making it easy to load and unload products. Removing the excavation element significantly reduces installation time /costs and the disruption associated with builder's work.

The winners of the 'Best Spray Booth Manufacturer' by ABP Club and over 30 years' experience in the spray booth and paint finishing industry, Junair have extensive knowledge which allows them to deliver spray booth solutions to their clients in the automotive, commercial, industrial, and aerospace sectors, tailored specifically to their requirements.


With a range of spray booth types and series of standard spray booths, Junair have most requirements covered, but are equally happy to speak to you about your options and deliver a tailormade package to you that takes all your needs into account.

# A quality spray booth from less than £1000 a month

The Junair 3 Series would typically be from around £900.00 per month on a 5 year Lease Agreement, based on Standard Car Booth 7 X 4 X 2.5m - LEVAC Floor







#### **OIL DISPENSING STAND - LA/738/COMP**

The LA/738 is a bunded two barrel stand incorporating a hose reel frame with oil reels.

Oil bund for 2 x 205 litre drums

- 2 x 10m open hose reels
- 2 x digital hose end meters
- 2 x pneumatic 3:1 oil pumps for drums
- 2 x guns holder
- 2 x oil feed hoses to reels (2.0m)

## **ONLY £2215**







Oil valve for dispensing engine, gearbox, differential oil and antifreeze £70

LA/742



Wall-mounted holder and drip tray for dispensing valves

£60




Pneumatic Oil Pumps	3:1 Stub Pump	3:1 Barrel Pump	5:1 Stub Pump	5:1 Barrel Pump
<b>Technical Data</b>	OP/500/3	OP/500/3/205	OP/500/5	OP/500/5/205
Compression Ration	3:1	3:1	5:1	5:1
Operating Pressure Min/Max	5-8 bar	5-8 bar	5-8 bar	5-8 bar
Flow Rate	12l/min	12l/min	14l/min	14l/min
Air Inlet Connection	1/4" (F)	1/4"(F)	1/4" (F)	1/4" (F)
Oil Outlet Connection	1/2" (M)	1/2" (M)	1/2" (M)	1/2" (M)
Shaft Length	270mm	940mm	270mm	940mm
Shaft Diameter	42mm	42mm	42mm	42mm
Max. Viscosity	SAE 150	SAE 150	SAE 250	SAE 250
Suitable for Drums	-	180/220l	-	180/220l
Air Consumption	100l/min	100l/min	115l/min	115l/min
Noise Level	82db	82db	82db	82db
Weight	4.6kg	5.9kg	5.0kg	6.0kg
	£210	£225	£220	£235



TREALER





**SL/719** 

80 litre

suction

£675























## FUTURE-PROOF YOUR WORKSHOP

- EV/READY LIFTS
- SF/9235/EVR/KIT Electric Vehicle Ready 3.5t 2-Post lift
- Simple & easy to swap between lifting pads & forks
- Baseless design with clear floor between columns
- Suitable for lifting vehicles up to 3500kg GVW
- Asymmetrical, 3-stage lifting arm design
- Low pad lifting height of just 95mm
- Fast lifting time of 45 seconds



ONLY £7195





## **4-POST LIFTS**

- Choice of platform lengths from 4.3m 8.0m
- Choice of lifting capacities from 3.5t 12.0t
- Choice of single or 3 phase power options
- Surface mount or recessed installation options
- Available in ATL, OPTL or MOT specifications

FROM JUST £7195



- SF/9235/EVR/KIT 4.0t 2-Post Lift without base frame



- SF/9130/1/SI 3.0t mid-rise scissor lift
- Ideal fast fit and tyre shop environments
- Low profile access of 96mm
- Maximum working height of platforms 930mm
- Fast lifting time of 30 seconds
- Optional mobility kit increases workshop flexibility
- Electro-hydraulic operation
- 230v mains operated pump & motor



**SCISSOR LIFTS:** The Space-Saving Alternative

#### **Short Platform Scissor Lifts**

- Compact, wheel-free lifting
- Reduces workshop obstructions
- Ideal for service and repair work
- Choice of capacities from 3.2t 4.0t
- Surface mounted with low drive-over heights
- Option for recessed installation
- Single phase available on selected lifts

#### **Full platform Scissor Lifts**

- Space-saving, post free design
- Recessed installation
- Choice of MOT testing or Wheel Alignment specifications
- Ideal for narrow MOT bays
- Choice of capacities from 4.0t 5.0t
- Choice of platform lengths 4.8m 5.0m

FROM ONLY £6725





## **ZCASE STUDY**

## **Giving The Blue Light To Lift Electric Vehicles**

Humberside's Emergency Services Fleet Management (ESFM) is a joint venture company between the area's Police and Fire & Rescue services, providing fleet management and engineering technical support from a single location. This collaboration allows them to quickly adapt to operational priorities and support frontline services.

Recently, ESFM reassessed their vehicle lifting requirements and ascertained that they now needed to safely lift electric vehicles (EVs). After evaluating the various options, the team at ESFM decided that Tecalemit's SF/9235/EVR best suited their needs. The SF/9235/EVR is designed as an innovative and efficient lifting solution to accommodate the growing number of hybrids and EVs on the road.

With a lifting capacity of 3.5t, a fast lifting time of 45 seconds, adjustable arms and a low pad lifting height of just 95mm, the SF/9235/EVR is designed to make life easier. This versatile 2-post lift shines with its innovative EV lifting forks. Using the EV lifting forks is as simple as removing and replacing the lift pads with the forks. With no special tools, the switch can be made as easily as changing your shoes.

Regardless of the size of the workshop, Tecalemit is here to help you succeed, so contact us today to discover how you can benefit from our experience.







# -POST CV LIFTS



- Premium quality lifts manufactured in Europe
- Innovative design to accommodate many heavy vehicles
- Proven, reliable electro-hydraulic lifting system
- Self-contained safety systems no compressed air needed
- Motor equipped with sensors to prevent overheating
- Option to add lighting kit for enhanced usability
- Choice of 12t, 16t, 25t or 30t capacities with 8m platforms



**DVSA ATF Approved CV Brake Tester for Trucks, Coach & Bus** 

The DE/9700 CV Brake Tester from Tecalemit was the first commercial vehicle brake tester (CVBT) to be designed and manufactured specifically to meet the UK's Authorised Testing Facilities (ATF) testing requirements. Developed from Tecalemit's proven brake testing expertise and unique experience of UK statutory brake testing, the heavy-duty roller bed design includes as standard two high-performance 15kW motors and a 'soft-start' feature which generally are only available as upgrades from other manufacturers.

## **CALL TODAY FOR PRICES**



## COLUMN LIFT

- SF/9490 Wireless 4 unit mobile column lift
- 30.0t total capacity (7.5t per column)
- 120-second lifting time
- Adjustable wheel forks
- Expandable to 6, 8 or 12-column configurations
- Powered by rechargeable 24v batteries
- Advanced synchronization system for smooth lifting
- Height limit switch for safety
- Mechanical lock on each column
- 24v Control panel with up/down button and emergency stop on all columns
- LCD for current height, battery level, and mode type
- Completely mobile with no cables or trip hazards



**FROM ONLY** £23525










0







## MOBILE BRAKE **TESTER**

The DE/9722 Mobile Commercial Vehicle Brake Tester provides highly accurate efficiency testing for all types of heavy-duty vehicles, including trucks, coaches, buses and light commercial vehicles. The DE/9722 is an innovative and highly functional mobile brake tester that benefits from GEA approval for ATF testing.

#### **Key features:**

- Mobile design for easy positioning
- High friction durable rollers
- Roller Assist for easy access and egress
- 20.0t axle load capacity
- 11kW motors
- **IP54 Protection**
- Suitable for outdoor use
- Suitable for testing 4WD vehicles
- Options for laptop or PC with workstation
- Optional in-vehicle display using Android tablet or phone

FROM JUST £35295


01752 219 111 • www.tecalemit.co.uk

## **Get better kit with TECALEMIT**



TYRE BAY
PACKAGE
FOR ONLY
\*\*23885\*\*\*\*

4.0T HYDRAULIC 2-POST LIFT FOR ONLY \$3175\*\*



The pioneers of yesterday

TECALEMIT





Tecalemit

The leaders of today

01752 219 111

sales@tecalemit.co.uk

www.tecalemit.co.uk

