


Corto 3.5t 1.4m Low-profile Lift



GARAGE EQUIPMENT
since 1922



Part No.: SF/8993

*See overleaf for
more information*

- 3.5 tonne lifting capacity
- Space saving design
- Low profile for access of low ground clearance vehicles (105mm)
- Suitable for most cars & derived vans
- Acoustic warning alarm during final lowering phase

Corto 3.5t 1.4m Low-profile Lift



GARAGE EQUIPMENT
since 1922

→ About the SF/8993

The SF/8993 short platform scissor lift from Tecalemit has been developed for use in all car workshops, particularly where space is at a premium. Short platform lifts provide an excellent solution allowing the operator to work on the vehicle at ground level without the obstruction of lifting posts and platforms and at a full working height for general servicing and repairs.

When raised, the vehicle is instantly in a wheel-free position. Consult your Tecalemit Area Sales Manager for guidance on the location of the lift and control box unit.

→ Technical Specifications & Dimensions



Maximum load.....	3500kg
Fused isolator rating (3ph).....	16 amp
Fused isolator rating (1ph).....	20 amp
Maximum platform height.....	1900mm
Minimum platform height.....	105mm
Lifting time (3ph).....	35 secs
Motor supply.....	400 3kW 3ph 50Hz

→ Part Nos. & Ordering Information

3.5t 3ph Low Profile Scissor Lift, with short ramps, surface mounted.....	SF/8993
3.5t 1ph Low Profile Scissor Lift, with short ramps, surface mounted.....	SF/8993/1

→ Options & Accessories

20mm pads.....	OA/60603/20
40mm pads.....	OA/60603/40
80mm pads.....	OA/60603/80
Cross piece for special vehicles.....	OA/61130
Ramp extension kit.....	OA/60587



Issue No.: SF/8993 Aug 2023

Tecalemit Garage Equipment Co Ltd, Eagle Road, Langleigh Business Park, Plymouth, United Kingdom PL7 5JY

Sales: 00 44 (0) 1752 219 111
Service: 00 44 (0) 1752 219 100
Fax: 00 44 (0) 1752 219 128
Email: sales@tecalemmit.co.uk
Web: www.tecalemit.co.uk

All information in this document is correct at time of publication. Tecalemit reserves the right to amend and alter specifications without prior notice. Please confirm any critical requirements with your supplier at time of ordering.

