Quadra 5.0t 6.5m Class 7 ATL & OPTL Lift





- → Approved for Class 7 ATL & One Person Test Lanes
- → Specifically designed for long wheelbase vehicles
- → Integral flush fitting wheel play detectors
- → Flush fitting radius turning plates
- → Hydraulic & mechanical safety systems

Quadra 5.0t 6.5m Class 7 ATL & OPTL Lift




GARAGE EQUIPMENT since 1922

→ About the SF/9265

The SF/9265 5.0t 6.5m Quadra Class 7 ATL & OPTL lift, is the perfect solution for testing long-wheelbase vehicles. This lift is built with the highest quality materials to ensure long-term durability and performance. It is equipped with various safety features for operator peace of mind. In addition the SF/9265 comes with flush-fitting radius turning plates and wheel play detectors. With a lifting capacity of 5.0t, you can be sure that this lift is the complete solution for one person MOT testing.

→ Play Detector Specifications

Operating pressure	185 Bar
Drive over capacity	2.6t (Axle)
Turning plate movement+/	- 15 degrees
Lateral plate movement	+/- 40mm



→ Technical Specifications & Dimensions

Minimum height	155mm
Raised height	
Motor supply	3.0kW
Maximum load	
Lifting time	50 secs
Lowering time	
Power supply	3ph 400V
Fused Isolator rating	

→ Part Nos. & Ordering Information

Quadra 5.0t 6.5m Class 7 ATL Lift 3ph,		
surface mounted	SF/9265	
Quadra 5.0t 6.5m Class 7 ATL Lift 1ph,		
surface mounted	SF/9265/1	
*For recessed installation, add /REC to part number		

→ Options & Accessories

3.0t Jacking Beam (manual)	SS/8839/KIT
3.0t Jacking Beam (pneumatic)	SS/8839/P
Air Supply Kit for pneumatic jacking beams.	OA/62335
24V LED Lighting Kit	OA/60342
Drive-through Kit (surface mounted)	OA/60412
Drive-through Kit (recessed)	OA/60394
Aluminium Platform Cover Set	OA/60658
Class 7 Wheel Chocks (pair)	OA/6877
Floor Plate Kit	OA/60053

Issue No.: SF/9265 Aug 2023

Tecalemit Garage Equipment Co Ltd, Eagle Road, Langage Business Park, Plymouth, United Kingdom PL7 5JY

Sales: 00 44 (0) 1752 219 111
Service: 00 44 (0) 1752 219 100
Fax: 00 44 (0) 1752 219 128
Email: sales@tecalemit.co.uk
Web: www.tecalemit.co.uk

All information in this document is correct at time of publication. Tecalemit reserves the right to amend and alter specifications without prior notice. Please confirm any critical requirements with your supplier at time of ordering.











